




Monument Chemical bv
Haven 1972, Ketenislaan 3
9130 Kallo (Kieldrecht)
Belgium
Phone: +32 3 570 28 78
Email: info@monumentchemical.com

Sales Specification



Hexylene Glycol

<u>Property</u>	<u>Unit</u>	<u>Specification</u>	<u>Test Method</u>
Purity	wt%	99.0 Min	GC
Water	wt%	0.10 Max	ASTM D1364
Color	Pt-Co	10 Max	ASTM D5386
Acidity as Acetic Acid	wt%	0.005 Max	ASTM D1613
Appearance	-	Clear&FFSM	ASTM D4176
Specific Gravity @ 20/20°C	-	0.9220 – 0.9250	ASTM D4052
Specific Gravity @ 25/25°C	-	0.9195 – 0.9225	ASTM D4052
Refractive Index @ 25°C	-	1.424 – 1.430	ASTM D1218
Distillation, IBP	°C	195 Min	ASTM D1078
Distillation, DP	°C	200 Max	ASTM D1078

Notes: The test methods listed are the ASTM methods. Monument Chemical utilizes proprietary test methods that are equivalent to the listed ASTM methods.

Product Code: EE109xx010 – EM109xx010
CAS Number: 107-41-5
Synonym: 2,4-dihydroxy-2-methyl pentane
Effective Date: 30 August, 2023
Revision: 3

The information in this product specification sheet is made without warranty. Monument Chemical disclaims any liability in connection with the use of this information, and does not warranty against infringement by reason of the use of any of its products in combination with other materials in any process.