




Monument Chemical bv
Haven 1972, Ketenislaan 3
9130 Kallo (Kieldrecht)
Belgium
Phone: +32 3 570 28 78
Email: info@monumentchemical.com

Sales Specification



Tetrahydrofuran THF HP BHT300

<u>Property</u>	<u>Unit</u>	<u>Specification</u>	<u>Test Method</u>
Purity	wt%	99.9 Min	GC
Total organic impurities	wt%	0.1 Max	GC
Any individual organic impurity	wt%	0.1 Max	GC
Water	ppm	150 Max	ASTM E1064
Color	Pt-Co	10 Max	ASTM D5386
Appearance	-	Clear&FFSM	ASTM E2680
Density @ 20°C	kg/dm ³	0.885 – 0.890	ASTM D4052
Refractive Index @ 20°C	-	1.406 – 1.408	ASTM D1218
Inorganic Chloride	ppm	1 Max	ASTM D512
Active Oxygen as [O]	ppm	10 Max	ASTM E298
BHT	ppm	250 - 350	GC

Note: The test methods listed are the ASTM methods. Monument Chemical utilizes proprietary test methods that are equivalent to the listed ASTM methods.

Product Code: ED114xx010
CAS Number: 109-99-9
Synonym: 1,4-epoxybutane
Effective Date: 16 May 2024
Revision: 7

The information in this product specification sheet is made without warranty. Monument Chemical disclaims any liability in connection with the use of this information, and does not warranty against infringement by reason of the use of any of its products in combination with other materials in any process.