

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/7/2021 Revision date: 5/7/2021 Supersedes: 7/23/2018 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form Substance

Propylene Glycol Monomethyl Ether Acetate Trade name

CAS-No. 108-65-6 Product code HP-040789-FP2 Formula C6H12O3

Synonyms : PMA Glycol Ether Acetate / 1-Methoxypropyl acetate / 2-Propanol. 1-methoxy-. 2-acetate / 2-

Acetic acid methoxy-1-methylethyl ester / Methoxyisopropyl acetate / 1-Methoxy-2-propyl acetate / 1-Methoxypropylacetate / Propylene glycol methyl ether acetate / 2-Propanol, 1-methoxy-, acetate / 1-Methoxypropyl-2-acetate / 1-Methoxy-2-propanol acetate / 1-Methoxy-2-

acetoxypropane / 2-Methoxy-1-methylethyl acetate / Acetic acid, 2-methoxy-1-methylethyl ester / Acetate, 1-methoxy-2-propyl / METHOXYISOPROPYL ACETATE / Propylene glycol methyl ether acetate, .alpha.-isomer / PGMEA / 1-Methoxypropan-2-yl acetate / Acetic acid, 2methoxyisopropyl ester / 1-Methoxypropan-2-ol acetate / 1-Methoxypropyl acetate / 2-Propanol, 1-methoxy-, 2-acetate / 2-Acetic acid methoxy-1-methylethyl ester / Methoxyisopropyl acetate / 1-Methoxy-2-propyl acetate / 1-Methoxypropylacetate / Propylene glycol methyl ether acetate / 2-Propanol, 1-methoxy-, acetate / 1-Methoxypropyl-2-acetate / 1-Methoxy-2-propanol acetate / 1-Methoxy-2-acetoxypropane / 2-Methoxy-1-methylethyl acetate / Acetic acid, 2-methoxy-1methylethyl ester / Acetate, 1-methoxy-2-propyl / METHOXYISOPROPYL ACETATE / Propylene

glycol methyl ether acetate, .alpha.-isomer / PGMEA / 1-Methoxypropan-2-yl acetate / Acetic acid, 2-methoxyisopropyl ester / 1-Methoxypropan-2-ol acetate

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Solvent for inks and coatings

Use of the substance/mixture Solvent

1.3. Supplier

Monument Chemical 16717 Jacintoport Blvd. Houston, TX 77015 - USA

T (281) 452-5951 - F (281) 457-1127

sds@monumentchemical.com - www.monumentchemical.com

1.4. Emergency telephone number

: 24 HR CHEMTREC: 1-800-424-9300 (International +1 703-741-5970); 24 HR Emergency **Emergency number**

Assistance: 1-832-376-2026

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3 H226 Flammable liquid and vapor Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 May cause drowsiness or dizziness

Full text of H- and EUH-statements: see section 16

1/11 5/7/2021 (Revision date) EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US)

Hazard statements (GHS US)

: Warning

H226 - Flammable liquid and vapor

H336 - May cause drowsiness or dizziness

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, protective clothing, protective gloves.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a doctor, a POISON CENTER if you feel unwell.

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO2), dry extinguishing

powder, Water spray to extinguish.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%
Propylene Glycol Monomethyl Ether Acetate (Main constituent)	CAS-No.: 108-65-6	99.5

Full text of hazard classes, H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible). Call a poison center/doctor/physician if you feel unwell. First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe

fresh air. Allow the victim to rest.

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. First-aid measures after skin contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

First-aid measures after eye contact

: Not expected to present a significant hazard under anticipated conditions of normal use. May

cause drowsiness or dizziness.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Symptoms/effects

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

: Do not use a heavy water stream. Unsuitable extinguishing media

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

May form flammable/explosive vapor-air mixture. Explosion hazard

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No General measures

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no

smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.

3/11 5/7/2021 (Revision date) EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Additional hazards when processed : Ha

: Handle empty containers with care because residual vapors are flammable.

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical, lighting, Ventilation

equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials, Ignition sources. Keep container tightly closed. Store in a well-ventilated place. Keep

cool. Store locked up.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA [ppm] 100 ppm

5/7/2021 (Revision date) EN (English US) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propylene Glycol Monomethyl Ether Acetate (108-65-6)	
USA - AIHA - Occupational Exposure Limits	
WEEL TWA [ppm]	50 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless liquid.
Color : Colorless
Odor : characteristic
Odor threshold : No data available
pH : No data available
Melting point : <-87 °C

Freezing point : -67 °C ; -88.6 °F Boiling point : 146 °C ; 294.8 °F

Flash point : 42 $^{\circ}$ C ; 107.6 $^{\circ}$ F closed cup

Relative evaporation rate (butyl acetate=1) : 0.39

Flammability (solid, gas) : Not applicable.

Vapor pressure : 2.8 mm Hg (at 20 °C)

Relative vapor density at 20 °C : 4.6 Relative density : 0.96

Density : $0.965 - 0.97 \text{ g/cm}^3 \text{ (at 20 °C)}$

Molecular mass : 132.2 g/mol

5/7/2021 (Revision date) EN (English US) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility : Water: 19800 mg/l (at 25 °C)

Partition coefficient n-octanol/water (Log Pow) : 0.56

Auto-ignition temperature : 315 °C; 599.0 °F

Decomposition temperature : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosion limits : 1.5 – 7 vol %

Explosive properties : No data available

Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Propylene Glycol Monomethyl Ether Acetate (108-65-6) LD50 oral rat 8532 mg/kg LD50 dermal rabbit > 5 g/kg ATE US (oral) 8532 mg/kg body weight

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

5/7/2021 (Revision date) EN (English US) 6/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure Not classified Aspiration hazard Not classified Viscosity, kinematic No data available

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. May

cause drowsiness or dizziness.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Propylene Glycol Monomethyl Ether Acetate (108-65-6)	
LC50 - Fish [1]	161 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	> 1000 mg/l Daphnia Magna; 48hr

12.2. Persistence and degradability

Propylene Glycol Monomethyl Ether Acetate (108-65-6)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Propylene Glycol Monomethyl Ether Acetate (108-65-6)	
Partition coefficient n-octanol/water (Log Pow)	0.56
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Additional information Handle empty containers with care because residual vapors are flammable. Flammable vapors

may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

In accordance with Department of Transport / IMDG / IATA

14.1. UN number

DOT NA No : UN3272 UN-No. (IMDG) : 3272 UN-No. (IATA) : 3272

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Esters, n.o.s. (Propylene glycol monomethyl ether acetate)

Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : ESTERS, N.O.S.
Proper Shipping Name (IATA) : Esters, n.o.s.

Transport document description (DOT) : UN3272 Esters, n.o.s. (Propylene glycol monomethyl ether acetate), 3, III

Transport document description (IMDG) : UN 3272 ESTERS, N.O.S., 3, III
Transport document description (IATA) : UN 3272 Esters, n.o.s., 3, III

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 3 Hazard labels (DOT) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Hazard labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



14.4. Packing group

Packing group (DOT) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Other information : No supplementary information available.

5/7/2021 (Revision date) EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN3272

DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the

bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this

subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

MAWP.

: 220 L

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

IMDG

Special provision (IMDG) : 223, 274

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS

EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS

Stowage category (IMDG) : A

ΙΔΤΔ

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) Y344 PCA limited quantity max net quantity (IATA) 10L 355 PCA packing instructions (IATA) : 60L PCA max net quantity (IATA) CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) 220L Special provision (IATA) : A3 ERG code (IATA) 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

5/7/2021 (Revision date) EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Propylene Glycol Monomethyl Ether Acetate (108-65-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Propylene Glycol Monomethyl Ether Acetate (108-65-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Propylene Glycol Monomethyl Ether Acetate (108-65-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Propylene Glycol Monomethyl Ether Acetate (108-65-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05/07/2021 Other information : None.

Full text of H-phrases	
H226	Flammable liquid and vapor
H336	May cause drowsiness or dizziness

Safety Data Sheet

NFPA fire hazard

NFPA reactivity


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant

> : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

: 0 - Material that in themselves are normally stable, even under fire

conditions.



Safety Data Sheet (SDS), USA

DISCLAIMER: Monument Chemical believes that the information expressly set forth in this Safety Data Sheet (SDS) is accurate as of the date of publication. MONUMENT CHEMICAL EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Monument Chemical assumes no responsibility for any use of or reliance upon the data provided in this SDS. Given the variety of factors that can affect the use of the material, some of which are uniquely within the user's knowledge and control, the user should independently evaluate (i) the completeness and accuracy of the information provided herein and (ii) the material to determine whether it is suitable and safe for the user's intended use.

Monument Chemical provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information. Monument Chemical makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Monument Chemical.