

 Safety Data Sheet

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Issue date: 09/27/2020
 Revision date: 08/05/2020
 Supersedes: 04/10/2015

Varaian: 1.0

	Issue date: 09/27/2020	Revision date: 08/05/2020	Supersedes: 04/10/2015	Version: 1.0
ECTION 1: Identification				
.1. Identification				
Product form	: Substance			
Trade name	: POLY-G® 32	2-58		
Chemical name	: Polyether Tri	ol		
CAS-No.	9082-00-2			
Formula	: C3H8O3.3(C	3H6O.C2H4O)x		
Synonyms	ether / Glyce oxide polyme Poly(oxyethy adduct / Oxir ethoxylate ar Propylene ox 1,2,3-Propan PPG-24-GLY glyceryl ethel polyoxypropy	(oxyethylene) poly(oxypropylen rol, ethylene oxide, propylene o rr / Oxirane, methyl-, polymer wi lene oxypropylene)glycerol ethe ane, methyl-, polymer with oxira d glycerin propoxylate / Glyceri ide ethylene oxide polymer, eth etriyltris[.omegahydroxypoly[o 'CERETH-24 / Laprol-5003-2B- r / Poly(oxypropylene oxyethyler lene glyceryl ether / Polyoxypro oxirane, ether with 1,2,3-propar	xide polymer / Glycerol, pro ith oxirane, ether with 1,2,3- er / Propylene oxide, ethylen ane, ether with 1,2,3-propan- n ethoxylate and glycerin pr er with glycerol (3:1) / .alpha xy(methyl-1,2-ethanediyl)ox 10 / Polyoxyethylene (12) pr ne)glycerol ether / Polyoxye pylene oxyethylene glycero	pylene oxide, ethylene propanetriol (3:1) / le oxide, glycerol etriol / Glycerin opoxylate mixture / a.,.alpha.',.alpha.''- y-1,2-ethanediyl]] / olyoxypropylene (66) thylene
2. Recommended use and Use of the substance/mixture		rmediate for urethane polymer	production	
3. Supplier			production	
Brandenburg, KY 40108 - USA T (270)422-6860	ww.monumentchemical.com			
2450 Olin Road Brandenburg, KY 40108 - USA T (270)422-6860 <u>sds@monumentchemical.com</u> - <u>w</u> .4. Emergency telephone n	number	1TPEC: 1 800 424 0300 (Intern	ational +1 703 741 5070); 3	
Brandenburg, KY 40108 - USA T (270)422-6860 <u>sds@monumentchemical.com</u> - <u>w</u>	umber : 24 HR CHEN	1TREC: 1-800-424-9300 (Intern -270-422-6860	ational +1 703-741-5970); 2	24 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden	umber : 24 HR CHEN Assistance: 1		ational +1 703-741-5970); 2	24 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden	umber : 24 HR CHEN Assistance: 1		ational +1 703-741-5970); 2	24 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification	umber : 24 HR CHEN Assistance: 1		ational +1 703-741-5970); 2	24 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified	umber : 24 HR CHEN Assistance: 1	-270-422-6860	ational +1 703-741-5970); 2	4 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number EECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat	number : 24 HR CHEM Assistance: 1 ntification bstance or mixture cluding precautionary statem	-270-422-6860	ational +1 703-741-5970); 2	24 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number EECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity	number : 24 HR CHEM Assistance: 1 ntification bstance or mixture cluding precautionary statemational regulations there is no labor	-270-422-6860	ational +1 703-741-5970); 2	4 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) ider 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable	Example r 24 HR CHEM Assistance: 1 Intification bstance or mixture cluding precautionary stateme ional regulations there is no laber r (GHS US)	-270-422-6860	ational +1 703-741-5970); 2	24 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number EECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable EECTION 3: Composition/I	Example r 24 HR CHEM Assistance: 1 Intification bstance or mixture cluding precautionary stateme ional regulations there is no laber r (GHS US)	-270-422-6860	ational +1 703-741-5970); 2	4 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number Emergency number ECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable ECTION 3: Composition/ 1. Substances	Example in the second s	-270-422-6860	ational +1 703-741-5970); 2	4 HR Emergency
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable ECTION 3: Composition/ 1. Substances Substance type	Example r 24 HR CHEM Assistance: 1 Intification bstance or mixture cluding precautionary stateme ional regulations there is no laber r (GHS US)	-270-422-6860		
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable ECTION 3: Composition// 1. Substances Substance type Name	Example in the second s	-270-422-6860	Product identifier	%
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number ECTION 2: Hazard(s) iden 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable ECTION 3: Composition/ 1. Substances Substance type	Example in the second s	-270-422-6860		
Brandenburg, KY 40108 - USA T (270)422-6860 sds@monumentchemical.com - w 4. Emergency telephone n Emergency number EECTION 2: Hazard(s) ider 1. Classification of the sul HS US classification ot classified 2. GHS Label elements, in ccording to the corresponding nat o additional information available 4. Unknown acute toxicity ot applicable EECTION 3: Composition/f 1. Substances Substance type Name Polyether Triol	Example in the second s	-270-422-6860	Product identifier	%

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures				
4.1. Description of first aid measures				
	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.			
First-aid measures after skin contact :	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.			
First-aid measures after eye contact :	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.			
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.			
4.2. Most important symptoms and effects (a	cute and delayed)			
Potential Adverse human health effects and : symptoms	Based on available data, the classification criteria are not met.			
Symptoms/effects :	Not expected to present a significant hazard under anticipated conditions of normal use.			
4.3. Immediate medical attention and special	treatment, if necessary			
No additional information available				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing r	media			
Suitable extinguishing media :	Foam. Dry powder. Carbon dioxide. Water spray. Sand.			
Unsuitable extinguishing media	Do not use a heavy water stream.			
5.2. Specific hazards arising from the chemic	cal			
5.3. Special protective equipment and precau	utions for fire-fighters			
	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.			
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.			
SECTION 6: Accidental release measure	95			
6.1. Personal precautions, protective equipm	ient and emergency procedures			
6.1.1. For non-emergency personnel				
	Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
	Equip cleanup crew with proper protection.			
Emergency procedures :	Ventilate area.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.				
6.3. Methods and material for containment an				
	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.			
6.4. Reference to other sections See Heading 8. Exposure controls and personal protection.				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling :	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.			
7.2. Conditions for safe storage, including an	ny incompatibilities			
	Keep only in the original container in a cool, well ventilated place away from : Ignition sources. Keep container closed when not in use.			
Incompatible products :	Strong bases. Strong acids.			
Incompatible materials	Sources of ignition. Direct sunlight.			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Polyether Triol (9082-00-2)

No additional information available

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Colorless to pale yellow liquid.
Color	: Colourless to yellow
Odor	: mild
Odor threshold	: No data available
рН	: 4 – 8 10/6 Isopropanol / water
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 150 – 260 °C (Open cup)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: 0.01 – 3.5 mm Hg (@ 25 Deg. C)
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9 – 1.15
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological informatio	n
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Polyether Triol (9082-00-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
Conierro avec democracy limitation	pH: 4 – 8 10/6 Isopropanol / water
Serious eye damage/irritation	: Not classified pH: 4 – 8 10/6 Isopropanol / water
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
VISCOSIV KINEMANC	· No data available
Viscosity, kinematic Potential Adverse human health effects and	No data availableBased on available data, the classification criteria are not met.
	 No data available Based on available data, the classification criteria are not met. Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information			
12.1. Toxicity			
Polyether Triol (9082-00-2)			
LC50 fish 1	> 100 mg/l		
12.2. Persistence and degradability			
Polyether Triol (9082-00-2)			
Persistence and degradability	Not established.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

r Triol (9082-00-2)		
nulative potential	Not established.	
obility in soil		
l information available		
	bility in soil I information available	b ility in soil I information available

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations Ecology - waste materials	Dispose in a safe manner in accordance with local/national regulations.Avoid release to the environment.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

ECTION 15: Regulatory information	
5.1. US Federal regulations	
Polyether Triol (9082-00-2)	
Listed on the United States TSCA (Toxic Substances	Control Act) inventory
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
All components of this product are listed or excluded	from listing on the United States Environmental Protection Agency Toxic

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

C	ANADA
	Polyether Triol (9082-00-2)
	Listed on the Canadian DSL (Domestic Substances List)
E	U-Regulations
N	o additional information available
N	ational regulations
	Polyether Triol (9082-00-2)
	Listed on the AICS (Australian Inventory of Chemical Substances)
	Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
	Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
	Listed on the Japanese ISHL (Industrial Safety and Health Law)
	Listed on KECL/KECI (Korean Existing Chemicals Inventory)
	Listed on NZIoC (New Zealand Inventory of Chemicals)
	Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
	Listed on INSQ (Mexican National Inventory of Chemical Substances)
	Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	08/05/2020
	 00/00/2020

Other information : None.

SDS US (GHS HazCom 2012)

DISCLAIMER: Monument Chemical believes that the information expressly set forth in this Safety Data Sheet (SDS) is accurate as of the date of publication. MONUMENT CHEMICAL EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY KIND AND NATURE, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Monument Chemical assumes no responsibility for any use of or reliance upon the data provided in this SDS. Given the variety of factors that can affect the use of the material, some of which are uniquely within the user's knowledge and control, the user should independently evaluate (i) the completeness and accuracy of the information provided herein and (ii) the material to determine whether it is suitable and safe for the user's intended use.

Monument Chemical provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Monument Chemical makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Monument Chemical.